

Title: Ornithine Transcarbamylase Deficiency *GeneReview* Table 8

Authors: Lichter-Konecki U, Caldovic L, Morizono H, Simpson K, Ah Mew N, MacLeod E

Date: December 2021

Note: The following information is provided by the authors listed above and has not been reviewed by *GeneReviews* staff.

**Table 8. Notable OTC Pathogenic Variants**

Reference Sequence	DNA Nucleotide Change	Predicted Protein Change	Comment [Reference]
<a href="#">NM_000531.6</a> <a href="#">NP_000522.3</a>	c.1A>T	p.Met1Leu	Loss of translation initiation [Yamaguchi et al 2006]
	c.77G>A	p.Arg26Gln	May affect splicing of intron 1 & OTC import into mitochondria [Grompe et al 1989]
	c.77G>C	p.Arg26Pro	May affect splicing of intron 1 & OTC import into mitochondria [Kim et al 2006]
	c.134T>C	p.Leu45Pro	Replacement w/Pro may disrupt secondary structure and folding of OTC protein [Grompe et al 1989].
	c.140A>T	p.Asn47Ile	Predicted disruption of protein-protein interactions [Tuchman et al 1997, Haskins et al 2020]
	c.154G>A	p.Glu52Lys	Predicted disruption of protein-protein interactions [McCullough et al 2000, Haskins et al 2020]
	c.155A>G	p.Glu52Gly	Predicted disruption of protein-protein interactions [Yamaguchi et al 2006, Haskins et al 2020]
	c.158T>G	p.Ile53Ser	Replacement of hydrophobic Ile w/hydrophilic Ser may disrupt OTC protein folding [Yamaguchi et al 2006].
	c.170T>A	p.Leu57Gln	Replacement of hydrophobic Leu w/hydrophilic Gln may disrupt OTC protein folding [Yamaguchi et al 2006].
	c.196A>G	p.Arg66Gly	Kido et al [2021]
	c.227T>C	p.Leu76Ser	Genet et al [2000]
	c.236G>A	p.Gly79Glu	Tuchman et al [1992]
	c.248G>A	p.Gly83Asp	Replacement of Gly w/bulky Asp may disrupt OTC protein folding [Bartholomew & McClellan 1998].
	c.275G>A	p.Arg92Gln	Carbamyl phosphate binding site [Grompe et al 1991]
	c.275G>T	p.Arg92Leu	Carbamyl phosphate binding site [Yamaguchi et al 2006]
	c.275G>C	p.Arg92Pro	Carbamyl phosphate binding site [Yamaguchi et al 2006]
	c.304G>C	p.Ala102Pro	Replacement w/Pro may disrupt secondary structure & folding of OTC protein [Storkanova et al 2013].

c.305C>A	p.Ala102Glu	Tuchman et al [1997]
c.374C>T	p.Thr125Met	Predicted disruption of protein-protein interactions [Gilbert-Dussardier et al 1996, Haskins et al 2020]
c.377A>G	p.Asp126Gly	Matsuura et al [1994]
c.418G>C	p.Ala140Pro	Replacement w/Pro may disrupt secondary structure & folding of OTC protein [Yamaguchi et al 2006].
c.422G>A	p.Arg141Gln	Carbamyl phosphate binding site [Maddalena et al 1988]
c.443T>C	p.Leu148Ser	Replacement of hydrophobic Leu w/hydrophilic Ser may disrupt OTC protein folding [Yamaguchi et al 2006].
c.464C>A	p.Ala155Glu	Replacement of small, hydrophobic Ala residue w/bulky, charged Glu may disrupt OTC protein folding [Yamaguchi et al 2006].
c.479T>A	p.Ile160Asn	Replacement of hydrophobic Ile w/hydrophilic Asn may disrupt OTC protein folding [Yamaguchi et al 2006].
c.479T>C	p.Ile160Thr	Replacement of hydrophobic Ile w/hydrophilic Thr may disrupt OTC protein folding [Yamaguchi et al 2006].
c.481A>G	p.Asn161Asp	Genet et al [2000]
c.482A>G	p.Asn161Ser	Tuchman & Plante [1995]
c.484G>A	p.Gly162Arg	Replacement of Gly w/bulky, charged Arg may disrupt OTC protein folding [Feldmann et al 1992].
c.485G>A	p.Gly162Glu	Replacement of Gly w/bulky, charged Glu may disrupt OTC protein folding [Yamaguchi et al 2006].
c.490T>C	p.Ser164Pro	Yamaguchi et al [2006]
c.505C>T	p.Pro169Ser	Kido et al [2021]
c.506C>T	p.Pro169Leu	Genet et al [2000]
c.516C>G	p.Ile172Met	Matsuura et al [1994]
c.526T>C	p.Tyr176His	Tuchman et al [2002]
c.533C>T	p.Thr178Met	Oppliger Leibundgut et al [1995]
c.536T>C	p.Leu179Pro	Replacement w/Pro may disrupt secondary structure & folding of OTC protein [Yamaguchi et al 2006].
c.539_540AG>CC	p.Gln180Pro	Replacement w/Pro may disrupt secondary structure & folding of OTC protein [Hubler et al 2001].
c.542A>G	p.Glu181Gly	May affect splicing of intron 5 [Tuchman et al 1998]
c.545A>T	p.His182Leu	Tuchman et al [1994a]
c.548A>G	p.Tyr183Cys	Reish et al [1993]
c.562G>C	p.Gly188Arg	Gilbert-Dussardier et al [1996]

c.572T>G	p.Leu191Arg	Replacement of hydrophobic Leu w/charged Arg may disrupt OTC protein folding [Yamaguchi et al 2006].
c.576C>G	p.Ser192Arg	Replacement of Ser w/bulky, charged Arg may disrupt OTC protein folding [Matsuura et al 1993].
c.583G>A	p.Gly195Arg	Replacement of Gly w/bulky, charged Arg may disrupt OTC protein folding [Tuchman et al 1994b].
c.586G>T	p.Asp196Tyr	Tuchman et al [1998]
c.587A>T	p.Asp196Val	Matsuura et al [1993]
c.593A>T	p.Asn198Ile	Yamaguchi et al [2006]
c.596A>G	p.Asn199Ser	Ornithine binding site [Tuchman et al 2002]
c.602T>C	p.Leu201Pro	Replacement w/Pro may disrupt secondary structure & folding of OTC protein [Shimadzu et al 1998].
c.613A>G	p.Met205Val	Genet et al [2000]
c.614T>C	p.Met205Thr	Kim et al [2006]
c.617T>G	p.Met206Arg	Bowling et al [1999]
c.620G>A	p.Ser207Asn	Yamaguchi et al [2006]
c.621C>A	p.Ser207Arg	Shimadzu et al [1998]
c.626C>T	p.Ala209Val	Garcia-Perez et al [1995]
c.640C>T	p.His214Tyr	Yoo et al [1996]
c.646C>G	p.Gln216Glu	Grompe et al [1989]
c.659C>T	p.Pro220Leu	Yamaguchi et al [2006]
c.663G>C	p.Lys221Asn	Yamaguchi et al [2006]
c.674C>G	p.Pro225Arg	Garcia-Perez et al [1997]
c.674C>T	p.Pro225Leu	Hentzen et al [1991]
c.698C>T	p.Ala233Val	Yamaguchi et al [2006]
c.716A>T	p.Glu239Val	Yamaguchi et al [2006]
c.740C>A	p.Thr247Lys	Tuchman & Plante [1995]
c.746A>G	p.Asp249Gly	Kim et al [2006]
c.757G>A	p.Ala253Thr	Yamaguchi et al [2006]
c.757G>C	p.Ala253Pro	Replacement w/Pro may disrupt secondary structure & folding of OTC protein [Yamaguchi et al 2006].
c.806G>A	p.Gly269Glu	Ornithine binding site [Zimmer et al 1995]
c.842T>C	p.Phe281Ser	Kim et al [2006]
c.860C>T	p.Thr287Ile	Lu et al [2020]
c.867G>C	p.Lys289Asp	Predicted disruption of protein-protein interactions [Caldovic et al 2015, Haskins et al 2020]

c.867G>T	p.Lys289Asn	Predicted disruption of protein-protein interactions [Tuchman et al 2002, Haskins et al 2020]
c.893G>C	p.Trp298Ser	Ensenauer et al [2005]
c.904C>T	p.His302Tyr	Catalytic site [Oppiger Leibundgut et al 1995]
c.905A>G	p.His302Arg	Catalytic site [Genet et al 2000]
c.907T>C	p.Cys303Arg	Catalytic site [Calvas et al 1998]
c.907T>G	p.Cys303Gly	Catalytic site [Tuchman et al 2002]
c.914C>G	p.Pro305Arg	Catalytic site [Yamaguchi et al 2006]
c.932T>A	p.Val311Glu	Replacement of hydrophobic Val w/charged Glu may disrupt OTC protein folding [Caldovic et al 2015].
c.959G>T	p.Arg320Leu	Predicted disruption of protein-protein interactions [Grompe et al 1989, Haskins et al 2020]
c.994T>A	p.Trp332Arg	Rapp et al [2001]
c.995G>C	p.Trp332Ser	Wang et al [2014]
c.1005G>A	p.Met335Ile	Tuchman et al [2002]
c.1015G>C	p.Val339Leu	Tuchman et al [1997]
c.1016T>G	p.Val339Gly	Wang et al [2014]
c.1028C>G	p.Thr343Arg	Caldovic et al [2015]
c.1039C>T	p.Pro347Ser	Caldovic et al [2015]

Variants listed in the table have been provided by the authors. GeneReviews staff have not independently verified the classification of variants.

GeneReviews follows the standard naming conventions of the Human Genome Variation Society ([varnomen.hgvs.org](http://varnomen.hgvs.org)). See [Quick Reference](#) for an explanation of nomenclature.

## References

- Caldovic L, Abdikarim I, Narain S, Tuchman M, Morizono H. Genotype-Phenotype Correlations in Ornithine Transcarbamylase Deficiency: A Mutation Update. *J Genet Genomics*. 2015;42:181-94.
- Calvas P, Segues B, Rozet JM, Rabier D, Bonnefond JP, Munnich A. Novel intragenic deletions and point mutations of the ornithine transcarbamylase gene in congenital hyperammonemia. *Hum Mutat*. 1998;Suppl 1:S81-4.
- Ensenauer R, Tuchman M, El-Youssef M, Kotagal S, Ishitani MB, Matern D, Babovic-Vuksanovic D. Management and outcome of neonatal-onset ornithine transcarbamylase deficiency following liver transplantation at 60 days of life. *Mol Genet Metab*. 2005;84:363-6.
- Feldmann D, Rozet JM, Pelet A, Hentzen D, Briand P, Hubert P, Largilliere C, Rabier D, Farriaux JP, Munnich A. Site specific screening for point mutations in ornithine transcarbamylase deficiency. *J Med Genet*. 1992;29:471-5.
- Garcia-Perez MA, Climent C, Briones P, Vilaseca MA, Rodes M, Rubio V. Missense mutations in codon 225 of ornithine transcarbamylase (OTC) result in decreased amounts of OTC protein: a hypothesis on the molecular mechanism of the OTC deficiency. *J Inherit Metab Dis*. 1997;20:769-77.

- Garcia-Perez MA, Paz Briones PS, Garcia-Munoz MJ, Rubio V. A splicing mutation, a nonsense mutation (Y167X) and two missense mutations (I159T and A209V) in Spanish patients with ornithine transcarbamylase deficiency. *Hum Genet*. 1995;96:549-51.
- Genet S, Cranston T, Middleton-Price HR. Mutation detection in 65 families with a possible diagnosis of ornithine carbamoyltransferase deficiency including 14 novel mutations. *J Inherit Metab Dis*. 2000;23:669-76.
- Gilbert-Dussardier B, Segues B, Rozet JM, Rabier D, Calvas P, de Lumley L, Bonnefond JP, Munnich A. Partial duplication [dup. TCAC (178)] and novel point mutations (T125M, G188R, A209V, and H302L) of the ornithine transcarbamylase gene in congenital hyperammonemia. *Hum Mutat*. 1996;8:74-6.
- Grompe M, Caskey CT, Fenwick RG. Improved molecular diagnostics for ornithine transcarbamylase deficiency. *Am J Hum Genet*. 1991;48:212-22.
- Grompe M, Muzny DM, Caskey CT. Scanning detection of mutations in human ornithine transcarbamoylase by chemical mismatch cleavage. *Proc Natl Acad Sci U S A*. 1989;86:5888-92.
- Haskins N, Bhuvanendran S, Anselmi C, Gams A, Kanholm T, Kocher KM, LoTempio J, Krohmaly KI, Sohai D, Stearrett N, Bonner E, Tuchman M, Morizono H, Jaiswal JK, Caldovic L. Mitochondrial Enzymes of the Urea Cycle Cluster at the Inner Mitochondrial Membrane. *Front Physiol*. 2020;11:542950.
- Hentzen D, Pelet A, Feldmann D, Rabier D, Berthelot J, Munnich A. Fatal hyperammonemia resulting from a C-to-T mutation at a Mspl site of the ornithine transcarbamylase gene. *Hum Genet*. 1991;88:153-6.
- Hubler A, Seidel J, Patzer L, Bellstedt K, Schramm D. [Interdisciplinary treatment of early-onset ornithine transcarbamylase (OTC) deficiency. Two case reports and a review]. *Zeitschrift fur Geburtshilfe und Neonatologie*. 2001;205:236-41.
- Kido J, Matsumoto S, Sugawara K, Sawada T, Nakamura K. Variants associated with urea cycle disorders in Japanese patients: Nationwide study and literature review. *Am J Med Genet A*. 2021;185:2026-36.
- Kim GH, Choi JH, Lee HH, Park S, Kim SS, Yoo HW. Identification of novel mutations in the human ornithine transcarbamylase (OTC) gene of Korean patients with OTC deficiency and transient expression of the mutant proteins in vitro. *Hum Mutat*. 2006;27:1159.
- Lu D, Han F, Qiu W, Zhang H, Ye J, Liang L, Wang Y, Ji W, Zhan X, Gu X, Han L. Clinical and molecular characteristics of 69 Chinese patients with ornithine transcarbamylase deficiency. *Orphanet J Rare Dis*. 2020;15:340.
- Maddalena A, Sosnoski DM, Berry GT, Nussbaum RL. Mosaicism for an intragenic deletion in a boy with mild ornithine transcarbamylase deficiency. *N Engl J Med*. 1988;319:999-1003.
- Matsuura T, Hoshide R, Kiwaki K, Komaki S, Koike E, Endo F, Oyanagi K, Suzuki Y, Kato I, Ishikawa K, et al. Four newly identified ornithine transcarbamylase (OTC) mutations (D126G, R129H, I172M and W332X) in Japanese male patients with early-onset OTC deficiency. *Hum Mutat*. 1994;3:402-6.
- Matsuura T, Hoshide R, Setoyama C, Shimada K, Hase Y, Yanagawa T, Kajita M, Matsuda I. Four novel gene mutations in five Japanese male patients with neonatal or late onset OTC deficiency: application of PCR-single-strand conformation polymorphisms for all exons and adjacent introns [corrected]. *Hum Genet*. 1993;92:49-56.
- McCullough BA, Yudkoff M, Batshaw ML, Wilson JM, Raper SE, Tuchman M. Genotype spectrum of ornithine transcarbamylase deficiency: correlation with the clinical and biochemical phenotype. *Am J Med Genet*. 2000;93:313-9.
- Oppiger Leibundgut EO, Liechti-Gallati S, Colombo JP, Wermuth B. Ornithine transcarbamylase deficiency: new sites with increased probability of mutation. *Hum Genet*. 1995;95:191-6.
- Rapp B, Haberle J, Linnebank M, Wermuth B, Marquardt T, Harms E, Koch HG. Genetic analysis of carbamoylphosphate synthetase I and ornithine transcarbamylase deficiency using fibroblasts. *Eur J Pediatr*. 2001;160:283-7.

Reish O, Plante RJ, Tuchman M. Four new mutations in the ornithine transcarbamylase gene. *Biochem Med Metab Biol*. 1993;50:169-75.

Shimadzu M, Matsumoto H, Matsuura T, Kobayashi K, Komaki S, Kiwaki K, Hoshide R, Endo F, Saheki T, Matsuda I. Ten novel mutations of the ornithine transcarbamylase (OTC) gene in OTC deficiency. *Hum Mutat*. 1998;Suppl 1:S5-7.

Tuchman M, Holzknecht RA, Gueron AB, Berry SA, Tsai MY. Six new mutations in the ornithine transcarbamylase gene detected by single-strand conformational polymorphism. *Pediatr Res*. 1992;32:600-4.

Tuchman M, Jaleel N, Morizono H, Sheehy L, Lynch MG. Mutations and polymorphisms in the human ornithine transcarbamylase gene. *Human Mutation*. 2002;19:93-107.

Tuchman M, Morizono H, Rajagopal BS, Plante RJ, Allewell NM. The biochemical and molecular spectrum of ornithine transcarbamylase deficiency. *J Inherit Metab Dis*. 1998;21:40-58.

Tuchman M, Morizono H, Rajagopal BS, Plante RJ, Allewell NM. Identification of 'private' mutations in patients with ornithine transcarbamylase deficiency. *J Inherit Metab Dis*. 1997;20:525-7.

Tuchman M, Plante RJ. Mutations and polymorphisms in the human ornithine transcarbamylase gene: mutation update addendum. *Hum Mutat*. 1995;5:293-5.

Tuchman M, Plante RJ, Giguere Y, Lemieux B. The ornithine transcarbamylase gene: new "private" mutations in four patients and study of a polymorphism. *Hum Mutat*. 1994a;3:318-20.

Tuchman M, Plante RJ, McCann MT, Qureshi AA. Seven new mutations in the human ornithine transcarbamylase gene. *Hum Mutat*. 1994b;4:57-60.

Wang Y, Liu X, Wu H, Liu H, Wang C, He X. [Analysis of clinical features, metabolic profiling and gene mutations of patients with ornithine transcarbamylase deficiency]. *Zhonghua Yi Xue Za Zhi*. 2014;31:148-51.

Yamaguchi S, Brailey LL, Morizono H, Bale AE, Tuchman M. Mutations and polymorphisms in the human ornithine transcarbamylase (OTC) gene. *Hum Mutat*. 2006;27:626-32.

Yoo HW, Kim GH, Lee DH. Identification of new mutations in the ornithine transcarbamylase (OTC) gene in Korean families. *J Inherit Metab Dis*. 1996;19:31-42.

Zimmer KP, Matsuura T, Colombo JP, Koch HG, Ullrich K, Deufel T, Harms E, Matsuda I. A novel point mutation at codon 269 of the ornithine transcarbamylase (OTC) gene causing neonatal onset of OTC deficiency. *J Inherit Metab Dis*. 1995;18:356-7.